

## TÀI LIỆU THAM KHẢO

### TIẾNG VIỆT

1. Tạ Mạnh Cường, Nguyễn Tuyết Minh, Nguyễn Ngọc Tước, Phạm Gia Khải : Bước đầu nghiên cứu một số chỉ số về chức năng tâm trương của người bình thường bằng phương pháp siêu âm tim Doppler. *Tạp chí Tim Mạch Học* 1996; 9: 1-13.
2. Tạ Mạnh Cường, Nguyễn Ngọc Tước, Phạm Gia Khải: Chẩn đoán và điều trị suy tim dựa theo các hình thái rối loạn chức năng thất trái. *Tạp chí Tim Mạch Học* 1997; 11: 21-25.
3. Tạ Mạnh Cường, Phạm Gia Khải, Nguyễn Ngọc Tước: Bước đầu nghiên cứu sự liên quan của chức năng tâm trương thất trái với một số yếu tố sinh lý ở người khoẻ mạnh. *Tóm tắt báo cáo hội nghị khoa học của nghiên cứu sinh lần thứ III - Đại học Y Hà Nội*, 20-21. 11. 1997; tr. 26.
4. Tạ Mạnh Cường: Sinh lý bệnh học của suy chức năng tâm trương trong các bệnh tim do tăng huyết áp. *Tạp chí Tim Mạch Học* 1998; 15: 36-45.
5. Tạ Mạnh Cường: Chẩn đoán suy chức năng tâm trương thất trái (bằng phương pháp siêu âm tim doppler). *Tạp chí Tim Mạch Học* 1999; 17: 64-72.
6. Tạ Mạnh Cường, Nguyễn Tuyết Minh, Nguyễn Ngọc Tước, Phạm Gia Khải: Đánh giá các thông số về tốc độ dòng đổ đầy thất trái và thất phải ở những bệnh nhân tăng huyết áp bằng phương pháp siêu âm tim Doppler. *Tạp chí Tim Mạch Học* 2000; 21 : 45-49.
7. Lê Thị Thiên Hương, Lê Thị Thanh Thái, Đặng Vạn Phước : Nghiên cứu ảnh hưởng của một số yếu tố sinh lý lên các thông số Doppler đánh giá chức năng tâm trương thất trái ở người khoẻ mạnh. *Tạp chí Tim Mạch Học* 1999; 19 : 59 - 63.
8. Phạm Gia Khải: Điều trị bệnh tăng huyết áp. *Trong: Hội thảo điều trị tăng huyết áp và ứng dụng mới với Adalat LA - Hà nội 18/03/1996*; tr. : 1 -20.

9. Phạm Nguyên Sơn: Hình ảnh Doppler dòng tĩnh mạch phổi bằng siêu âm qua thành ngực ở người bình thường và sự thay đổi dưới ảnh hưởng của một số yếu tố sinh lý. *Tạp chí Tim Mạch Học* 2000; 21 : 1193-1199 (phụ san đại hội Tim Mạch học Quốc Gia Việt Nam lần thứ VIII).
10. Trần Đỗ Trinh và cộng sự: Điều tra dịch tễ học bệnh tăng huyết áp tại Việt Nam. *Tư liệu Bộ Y Tế* tháng 6/1992.
11. Nguyễn Lâm Việt, Đỗ Doãn Lợi, Phạm Thái Sơn, Đặng Việt Sinh, Phạm Gia Khải : Các thông số siêu âm - Doppler tim của dòng chảy qua van hai lá và ba lá ở người lớn bình thường. *Tạp chí Tim Mạch Học* 2000; 21 : 25 - 37.

## TIẾNG ANH VÀ TIẾNG PHÁP

12. Abassade Ph., Baudouy Ph.Y.: La fonction diastolique ventriculaire gauche de l' hypertendu et les inhibiteurs calciques. *Ann Cardiol Angéiol* 1991 ; 40(2) : 89 - 96.
13. Abergel E., Tase M., Bohlander J., Menard J., Chatellier G.: Wich definition for echocardiographic left ventricular hypertrophy? *Am J Cardiol* 1995; 75: 498- 502.
14. Amabile G. : L'hypertrophie ventriculaire gauche de l'hypertendu. *Ann Cardiol Angéiol* 1994; 43(7): 408-413.
15. Amabile G.: Hypertrophie ventriculaire gauche et risque cardiovasculaire de l'hypertendu. *Ann Cardiol Angéiol* 1998; 47(2), 86-90.
16. Appleton C.P., Hatie L.K., Popp R.L.: Relation of transmitral flow velocity patterns to len VentriCular diastolic function: new insights from a combined hemodynamic and doppler echocardiographic study. *J Am Coll Cardiol* 1988; 12: 426-440.
17. Arbogast R.: Effets des inhibiteurs de la phosphodiesterase sur la fonction diastolique. *Arch Mal Caur* 1993; 86(II): 65-69.
18. Arrighi J.A., DilsiziaV., Filardi P.P., Diodati J.G., Bacharach S.L., Bonow R.O.: Improvement of the age - related impaionent in left ventricular diastolic filling with verapamíl in the nomlal human head. *Circulation* 1994; 90: 213-210.

19. Ashour Z.A., El Said G., Gharieb S., Aboul Enein S.: Effet de la réduction de la compliance artérielle sur la fonction diastolique du cœur. *Arch Mal Cœur* 1998; 9: 929-33.
20. Atherton J.J., Monre T.D., Thomson H.L. et al.: Restrictive left ventricular filling patterns are predictive of ventricular interaction in chronic heart failure. *J Am Coll Cardiol* 1998 ; 31 : 413-418.
21. Bareiss P., Facello A., Constantinessco A. et al.: Alteration in left ventricular diastolic function in chronic ischemic heart failure - assessment by radionuclide angiography. *Circulation* 1990; 81 (suppl III): III-71 - III-77.
22. Bareiss P., Roul G.: Pronostic de l'insuffisance cardiaque diastolique. *Arch Mal Cœur* 1998 ; 91 : 19-21.
23. Benjamin E.J., Levy Đ., Anderson K.M., Wolf P.A., Plehn J.F. et al.: Determinants of doppler indexes of left ventricular diastolic function in normal subjects (the Framingham Heart Study). *Am J Cardiol* 1992; 70: 508-515.
24. Bonow R.O., Bacharach S.L., Green M.V., Kent K.M., Rosing D.R., Lipson L.C., Leon M.B., Epstein S.E.: Impaired left ventricular filling in patients with coronary artery disease : Assessment with radionuclide angiography. *Circulation* 1981 ; 64: 315-323.
25. Bonow R.O.: Regional left ventricular nonuniformity. Effects on left ventricular filling diastolic function in ischemic heart disease, hypertrophic cardiomyopathy, and the normal heart. *Circulation* 1990; 81(suppl III): III-54-III 65 .
26. Briguori C., Betocchi S., Romano M. et al.: Exercise capacity in hypertrophic cardiomyopathy depends on left ventricular diastolic function. *Am J Cardiol* 1999;84:309-315.
27. Bruckert E.: La prise en compte du risque global dans la décision du traitement des hypercholestérolémiques. *Ann Cardiol Angéiol* 1998; 47(2): 105-108.
28. Cailar G., Pasquie J.L., Halimi J.M. et al.: Hypertrophie ventriculaire gauche et morphologie de l'oreillette gauche chez l'hypertendu jamais traité. *Arch Mal Cœur* 1995; 88: 1111-1114.

29. Carroli J.D., Hess O.M., Hirzel H.O. et al.: Dynamics of left ventricular filling at rest and during exercise. *Circulation* 1983; 68: 59-67.
30. Chakko S., Machena E., Kessler K.M., Materson B.J., Myerburg R.J.: Right ventricular diastolic function in systemic hypertension. *Am J Cardiol* 1990; 65: 1117-1120.
31. Clarkson P.B.M., Wheeldon N.M., Macleod C., Macdonald T.: Systolic and diastolic effects of beta-adrenergic stimulation in normal humans. *Am J Cardiol* 1995; 75: 206-209.
32. Cohn J.N., Johnson G. and Veterans Administration Cooperative Study Group: Heart failure with normal ejection fraction - the V-HeFT study. *Circulation* 1990; 81 (suppl III): III-48 - III-53.
33. Coisne D., Pellerin D., Dubourg O.: Apports de l'échocardiographie doppler dans l'évaluation du remplissage ventriculaire de l'insuffisant cardiaque et l'estimation des pressions de remplissage. *Arch Mal Cœur* 1998; 91: 43-49.
34. Committee on Evaluation and Management of Heart Failure - ACC/AHA: Guidelines for the evaluation and management of heart failure. *Circulation* 1995; 92: 2764-2784.
35. Courtois M., Mechem C.J., Barzilai B., Gutierrez F., Ludbrook P.A.: Delineation of determinants of left ventricular early filling. *Circulation* 1994; 90: 2041-2050.
36. Covell J.M.: Factors influencing diastolic function - Possible role of the extra cellular matrix. *Circulation* 1990; 81(suppl III): III-155 - III-158.
37. Cuocolo A., Sax F.L., Brush J.E., Maron B.J., Bacharach S.L., Bonow R.O.: Left ventricular hypertrophy and impaired diastolic filling in essential hypertension - Diastolic mechanisms for systolic dysfunction during exercise. *Circulation* 1990; 81: 978 - 986.
38. Dabestani A., Takenaka K., Alien B., Gardin J.M. et al.: Effects of spontaneous respiration on diastolic left ventricular filling assessed by pulsed doppler echocardiography. *Am J Cardiol* 1988; 61: 1356-1358.
39. Dahan M., Paillole C., Sissman J., Baleynaud S., Hefer M., Gourgon R.: A propos des modifications aiguës du remplissage ventriculaire gauche induites par le traitement antihypertenseur. *Arch Mal Cœur* 1992; 85: 1079-83.

40. Devereux R.B.: Left ventricular diastolic dysfunction: early diastolic relaxation and late diastolic compliance. *J Am Coll Cardiol* 1989; 13: 337-9.
41. Ding Z.P., Oh J.K., Klein A.L., Tajick J.A.: Effect of sample volume location on dopier-derived transmitral inflow velocity values. *J Am Soc Echocardiogr* 1991, 4:451-456.
42. Diver D.J., Royal H.D., Aroesty J.M., McKay R.G., Ferguson J.J., Warren S.E., Lorell B.H.: Diastolic function in patients with aortic stenosis : influence of left ventricular load reduction. *J Am Coll Cardiol* 1988; 12: 642-8.
43. Dougherty A.H., Naccarelli G.V., Gray E.L. et al.: Congestive heart faillure with normal systolic function. *Am J Cardiol* 1984; 54: 778-782.
44. Douglas P.M., Berko B., Lesh M., Reichek N.: Alteration in diastolic function in reponse to progressive left ventricular hypertrophy. *J Am Coll Cardiol* 1989; 13: 461-467.
45. Dubois-Rande J.L., Chazouillere A. F., Darmon M. E., Bourachot M. L., Dupouy P.: Methode devaluation de la relaxation et de la fonction diastolique. *Ann Cardiol Angeiol* 1994; 43(10): 563-572.
46. Dubourg O., Jardin F., Quanadii S., Bourdarias J.P.: Evaluation de la fonction ventriculaire droit. Methodes disponibles et methodes en pratique clinique. *AMC pratique* N° 39-5 decembre 1996 (mis au point).
47. Elliott P.M., Brecker S.J., McKenna W.J.: Diastolic dysfunction in hypertrophic cardiomyopathy. *Eur Heart J* 1988; 19: 1125-1127 (editorial).
48. European Study Group on Diastolic Heart Faillure-Working Group Report: How to diagnose diastolic faillure. *Eur Heart J* 1998; 19: 990-1003.
49. Fagard R., Staessen J., Thijs L., Amery A.: Relation of left ventricular mass and filling to exercise blood pressure and rest blood pressure. *Am J Cardiol* 1995; 75: 53-57.

50. Farrar D.J., Chow E., BrowC.D.: Isolated systolic and diastolic ventricular interactions in pacing induced dilated cardiomyopathy and effects of volume loading and pericardium. *Circulation* 1995; 92: 1284-1290.
51. Feigenbaum H.: Echocardiographic evaluation of left ventricular diastolic function. *J Am Coll Cardiol* 1989; 13: 1027-9 (Editorial comment).
52. Ferguson J.J., Manning W.J., Come P.C.: Pulsed doppler echocardiographic determination of the time course of left ventricular filling: validation with cineangiography. *Am Heart J* 1989; 117: 127.
53. Fouad P.M., Slominski M.J., Tarazi R.C.: Left ventricular diastolic function in hypertension: relation to left ventricular mass and systolic function. *J Am Coll Cardiol* 1984; 3: 1500-1506.
54. Fujii J., Yazaki Y., Sawada H. et al.: Noninvasive assessment of left and right ventricular filling in myocardial infarction with a two-dimensional doppler echocardiographic method. *J Am Coll Cardiol* 1985; 5: 1155-1160.
55. Gaasch W.H., Levine H.J., Quinones M.A., Alexander J.K.: Left ventricular compliance: mechanisms and clinical implications. *Am J Cardiol* 1976; 38: 645-653.
56. Galderisi M., Benjamin E.J., Evans J.C., D'Agostino R.B., Fuller D. L., Lehman B., Levy D.: Impact of heart rate and PR interval on Doppler indexes of left ventricular diastolic filling in an elderly cohort (the Framingham Heart Study). *Am J Cardiol* 1993; 72: 1183-1187.
57. Garcia M.J., Thomas J.D., Klein A.: New doppler echocardiographic applications for the study of diastolic function. *J Am Coll Cardiol* 1998; 32: 865-875.
58. Gardin J.M., Rohan M.K., Davidson D.M., Dabestani A., Sklansky M, et al.: Doppler transmitral flow velocity parameters: relationship between age, body surface area , blood pressure and gender in normal subjects. *Am J Noninvas Cardiol* 1987, 1:3-10.
59. Godoy I.E., Mor-Avi V., Weinert L. Vignon P. et al.: Use of color kinesis for evaluation of left ventricular filling in patients with dilated cardiomyopathy and mitral regurgitation. *J Am Coll Cardiol* 1998; 31: 1598-1606.

60. Gosse Ph., Clémenty J.: Évaluation du risque cardiovasculaire chez l'hypertendu: l'hypertrophie ventriculaire gauche. *Arch Mal Cœur* 1998; 91: 19-22.
61. Gosse Ph., Dallochio M.: L'hypertrophie ventriculaire gauche de l'hypertendu - Approche de sa pathogenic et de ses conséquences. *Ann Cardiol Angeiol* 1986; 35(8): 481-486.
62. Gottdiener J.S., Reda D.J. Williams D.W. et al.: Left atrial size in hypertensive man: influence of obesity, race and age. *J Am Coll Cardiol* 1997; 29: 651-658.
63. Gourgon R., Merillon J.P., Masquet C. et al.: Hypertrophie ventriculaire gauche - Avantage et inconvénients. *Ann Cardiol Angéiol* 1996; 35: 607-615.
64. Grossman W.: Diastolic dysfunction and congestive heart failure. *Circulation* 1990; 81 (suppi III): III-1-III-7).
65. Guéret P.: Evaluation de la fonction ventriculaire gauche en échocardiographie doppler: où en sommes-nous? *Arch Mal Cœur* 1997; 90(6); 771-772 (éditorial).
66. Haider A.W., Larson M.G., Benjamin E.J., Levy D.: Increased left ventricular mass and hypertrophy are associated with increase risk for sudden death. *J Am Coll Cardiol* 1998; 32: 1454-9.
67. Hasenfuss G., Schillinger W., Lehnart S.E., Preuss M. et al.: Relationship between  $\text{Na}^+$ - $\text{Ca}^{++}$  - exchanger proteine levels and distolic function of failing human myocardium. *Circulation* 1999; 99: 641-648.
68. Herpin D., Raud P. Raynier, Demange J.: Relaxation et remplissage diasto-lique du ventricule gauche. *Ann Cardiol Angéiol* 1991; 40(3): 153-161.
69. Hishimura R.A., Abel M.D., Hatle L.K., Holmes D.R., Housmans P.R., Ritman E.L, Tajik A.J.: Significance of Doppler indices of diastolic filling of the left ventricle : Comparison with invasive hemodynamics in a canine model. *Am Heart J* 1989; 118: 1248.
70. Hoit B.D., Rashwan M., Verba J., Pretorius T., Sahn D.J., Bhargava V.: Instantaneous transmitral flow using Doppler and M-mode

- echocardiography : A comparison with radionuclide ventriculography. *Am Heart J* 1989; 118: 308.
71. Hurrell D.G., Nishimura R.A., Ilstrup D.M., Appleton C.P.: Utility of preload alteration in assessment of left ventricular filling pressure by doppler echocardiography: a simultaneous catheterization and doppler echocardiography study. *J Am Coll Cardiol* 1997; 30: 459-467.
  72. Hyendrickx G.R., Paulus W.: Effect of asynchrony on left ventricular relaxation. *Circulation* 1990; 81(suppl III): III-41 - III-47.
  73. Iliceto S., Amico A., Marangelli V. et al.: Doppler echocardiographic evaluation of the effect of atrial pacing-induced ischemia on left ventricular filling , in patients with coronary artery disease. *J Am Coll Cardiol* 1988; 11: 953-961.
  74. Inouye I., Massie B., Loge D., Topic N. et al.: Abnormal left ventricular filling: an early finding in mild to moderate systemic hypertension. *Am J Cardiol* 1984;53: 120-126.
  75. Isnard R.: Insuffisance cardiaque: relaxation et diastole. *La lettre du cardiologue* 1994; 227: 13-14 (information).
  76. Janicki J.S.: Influence of the pericardium and ventricular interdependence on left ventricular diastolic and systolic function in patients with heart failure. *Circulation* 1990; 81 (suppl III): III-15 - III-20.
  77. Kim M.H., Devlin W.H., Das S.K. et al.: Effects of  $\beta$ -adrenergic blocking therapy on left ventricular diastolic relaxation properties in patients with dilated cardiomyopathy. *Circulation* 1999; 100: 729-735.
  78. Klein A., Burstow D.J., Tajik A.J., Zachariah P.K. et al.: Effects of age on left ventricular dimensions and filling dynamics in 117 normal persons. *Mayo Clin Proc* 1994; 69: 212-224.
  79. Kuo L.C., Quinones M.A., Rokey R., Sartori M. et al.: Quantification of atrial contribution to left ventricular filling by pulsed doppler echocardiography and the effect of age in normal and diseased hearts. *Am J Cardiol* 1987; 59: 1174-1178.



80. Labovitz A.J., Pearson A.C.: Evaluation of left ventricular diastolic function: clinical relevance and recent doppler echocardiographic insights. *Am Heart J* 1987; 114:836-851.
81. Lamb H.J., Beyerbacht H.P., Van der Laarse A., Stoel B.C. et al.: Diastolic dysfunction in hypertensive heart disease is associated with altered myocardial metabolism. *Circulation* 1999; 99: 2261-2267.
82. Leclercq C., Cazeau S., Ritter P., Daubert C.: Stimulation cardiaque et insuffisance cardiaque. *Arch Mal Cœur* 1998; 91: 1389-1397.
83. Levine R.A., Gibson T.C., Aretz T. et al.: Echocardiographic measurement of right ventricular volume. *Circulation* 1984; 69: 497-505.
84. Lewis B.S., Shefer A., Flugelman M.Y., Merdler A., Halon D.A., Hardoff R.: Effect of the second-generation calcium channel blocking drug nisoldipine on diastolic left ventricular dysfunction in heart failure. *Am Heart J* 1989; 118: 505.
85. Loubeyre C., Asseman P., Bauchart J.J., Michon P., Renaud N., Theyry C, Houdas Y.: Apport de l'échocardiographie Doppler a l'évaluation de la fonction diastolique ventriculaire gauche. *Ann Cardiol An geiol* 1994; 44(1): 25-36.
86. Mahmarian J.J., Pratt C.M.: Silent myocardial ischemia in patients with coronary artery disease - Possible links with diastolic left ventricular dysfunction. *Circulation* 1990; 81 (suppl III): III-33 - III-40.
87. Malergue M.C.: Analyse de la fonction globale: les paramètres d'analyse des fonctions systolic et diastolique. *Cardiologie pratique* 1999; 491:1-2.
88. Marabotti C., GeGenovesi-Ebert A., Palombo C., Giaconi S. et al.: Echo-doppler assessment of left ventricular filling in borderline hypertension. *Am J Hypertens* 1989; 2: 891-897.
89. Matsuda Y., Toma Y., Ogawa H., Matsuzaki M. et al.: Importance of left atrial function in patients with myocardial infarction. *Circulation* 1983; 67(3): 566-571.

90. Meloni L., Rucazio M., Lai L., Cherchi A.: Different patterns of left ventricular filling in arterial hypertension. *Eur Heart J* 1990; 11: 302-310.
91. Millaire A.: Insuffisance cardiaque diastolique. Modalités thérapeutiques. *Arch Mal Cœur* 1998; 91: 1365-1369.
92. Miyatake K., Okamoto M., Kinoshita N., Owa M. et al.: Augmentation of atrial contribution to left ventricular inflow with aging as assessed by intracardiac doppler flowmetry. *Am J Cardiol* 1984; 53: 586-589.
93. Miyazaki S., Guth B.D., Miura T. et al.: Changes of left ventricular diastolic function in exercising dogs without and with ischemia. *Circulation* 1990; 81: 1058-1070.
94. Monsuez J.J., Lachurie M.L., Passeron J.: Improvement of age related impairment in left ventricular diastolic filling with verapamil in the normal human heart. *Circulation* 1995; 91: 1275 (Letter to the editor).
95. Morgan J.P., Emy R.E., Alien P.D., Grossman W. et al.: Abnormal intracellular calcium handling, a major cause of systolic and diastolic dysfunction. *Circulation* 1990; (suppl III): III-21 - III-32.
96. Myreng Y., Myhre E.: Effects of verapamil on left ventricular relaxation and filling dynamics in coronary artery disease : A study by pulsed Doppler echocardiography. *Am Heart J* 1989; 117: 870.
97. Myreng Y., Smiseth O.A.: Assessment of left ventricular relaxation by Doppler echocardiography - Comparison of isovolumic relaxation time and transmitral flow velocities with time constant of isovolumic relaxation. *Circulation* 1990; 81: 260-266.
98. Nagueh S.F., Middleton K.J., Kopelen H.A. et al.: Doppler tissue imaging: a non invasive technique for evaluation of left ventricular relaxation and estimation of filling pressures. *J Am Coll Cardiol* 1997; 30: 1527-1533.
99. Nijland P., Kamp O., Karreman A.J.P. et al.: Prognostic implications of restrictive left ventricular filling in acute myocardial infarction: a serial doppler echocardiographic study. *J Am Coll Cardiol* 1997; 30: 1618-1624.
100. Nishimura R.A., Abel M.D., Hatle L.K., Tajik A.J.: Relation of pulmonary vein to mitral flow velocities by transesophageal doppler

- echocardiography. Effect of different loading conditions. *Circulation* 1990; 81: 1448-1497.
101. Nishimura R.A., Schwartz R.S., Talk A.J., Holmes D.R.: Noninvasive measurement of rate of left ventricular relaxation by Doppler echocardiography. *Circulation* 1993; 88: 146-155.
102. Nishimura R.A., Tajick J.A.: Evaluation of diastolic filling of left ventricle in health and disease: doppler echocardiography is the clinician's rosetta stone. *Am Coll Cardiol* 1997; 30: 8-18.
103. Ollivier J.P., Delonca J., Gaillard J.F., Quatre J.M. et al.: Exploration du remplissage ventriculaire gauche par la gama-angiographie et l'échocardiographie. *Arch Mal Cœur* 1990; 83: 1817-1821.
104. Ollivier J.P., Gaillard J.F., Provendier O., Bussy E., Bussière J.L.: Relaxation ventriculaire gauche et hypertension artérielle - effet du catopril sur les paramètres gamma-angiographiques. *Ann Cardiol Angéiol* 1992; 41(7): 373-378.
105. Ormezzano O., Vanzetto G., Bertrand B., Machecourt J., Defaye P., Lenoir E., Contard M., Denis B.: La fonction diastolique ventriculaire gauche: intérêt de son étude par le Doppler mitral, le Doppler veineux pulmonaire, le phonocardiogramme et l'apexogramme. *Arch Mal Cœur* 1996; 89: 703-11.
106. Packer M.: Abnormalities of diastolic function as a potential cause of exercise intolerance in chronic heart failure. *Circulation* 1990; 81 (suppl III): III-78 - III-86.
107. Palmieri V., Bella J.N., DeQuattro V. et al.: Relation of diastolic filling to systolic chamber and myocardial contractility in hypertensive patients with left ventricular hypertrophy (the PRESERVE study). *Am J Cardiol* 1999; 84: 558-562.
108. Pasiński T., Mieszkiewicz Z.C., Pearson A.C.: Factors influencing transmitral flow velocity in normal and hypertensive subjects. *Am Heart J* 1991; 122:1101-1106.
109. Pathé M., Laurenceau J.L., Baron B., Marchand X. et al.: Influence des variations de la précharge sur la fonction de remplissage du

- ventricule gauche etudiee par écho-doppler. *Arch Mal Cœur* 1990; 83: 2061-2066.
110. Pearson A.C., Nelson J., Kanter J. et al.: Effect of sample volume location on pulsed doppler-echocardiographic evaluation of left ventricular filling. *American Journal of Cardiac Imaging* 1988; 2(1): 40-46.
111. Phillips R.A., Coplan N.L., Karakoff L.R. et al.: Doppler echocardiographic analysis of left ventricular filling in treated hypertensive patients. *J Am Coll Cardiol* 1987; 9: 317-322.
112. Phillips R.A., Goldman M.E., Ardeljan M., Arora R. et al.: Determinants of abnormal left ventricular filling in early hypertension. *J Am Coll Cardiol* 1989; 14: 979-985.
113. Pinamonti B., Zecchin M., Lenarda A.D. et al.: Persistence of restrictive left ventricular filling pattern in dilated cardiomyopathy: an ominous prognostic sign. *J Am Coll Cardiol* 1997; 29: 604-12.
114. Plotnick G.D.: Changes in diastolic function - difficult to measure, harder to interpret. *Am Heart J* 1989; 118: 635 (Editorial).
115. Pollick C.: Effects of disopyramide on diastolic function in hypertrophic cardiomyopathy. *Am J Cardiol* 1995; 75: 652 (brief report).
116. Qirko S., Tase M., Popa Y: Évaluation par échocardiographie Doppler des remplissages ventriculaires droit et gauche au cours de l'hypertension artérielle. *Arch Mal Cœur* 1992; 85: 1085-1089.
117. Qirko S.: Évaluation échocardiographique de l'index de vidange auriculaire gauche au cours de l'hypertension artérielle. *Arch Mal Cœur* 1995; 88: 1105-1109.
118. Rihal C.S., Nishimura R.A., Hatle L.K., Bailey K.R., Tajik A. J.: Systolic and diastolic dysfunction in patients with clinical diagnosis of dilated cardiomyopathy-relation to symptoms and prognosis. *Circulation* 1994; 90: 2772-2779.
119. Saeian K., Wann S., Sagar K.B.: Doppler echocardiographic evaluation of left ventricular function. *Echocardiography: a Jrni of CV Ultrasound & Allied Tech* 1990; 7: 21-25.

120. Sagie A., Benjamin E.J., Galderisi M., Larson M.G. et al. : Reference values for Doppler indexes of left ventricular diastolic filling in the elderly. *J Am Soc Echocardiogr* 1993; 6 : 570-6.
121. Sahn D.J., De Maria A., Kisslo J., Weyman A.- The committee on M-mode standarization of the American Society of echocardiography: Recommendations regarding quantitation in M-mode echocardiography: Results of a survey of echocardiographic measurements. *Circulation* 1978; 58, N° 6: 1072-1083.
122. Sartori M.P., Quinones M.A., Kuo L.C.: Relation of doppler-derived left ventricular filling to age and radius/thickness ratio in normal and pathologic states. *Am J Cardiol* 1987; 59: 1179-1182.
123. Savage D.D., Garrison R.J., Kannel W.B. et al.: The spectrum of left ventricular hypertrophy in a general population sample: the Framingham study. *Circulation* 1987; 75 (supp I): I26-I32.
124. Schmitz L., Koch H., Bein G., Brockmeier K.: Left ventricular diastolic function in infants, children, and adolescents, reference values an analysis of morphologic and physiologic determinants of echocardiographic doppler flow signals during growth and maturation. *J Am Coll Cardiol* 1988; 32: 1441-1448.
125. Schwartzkopff B., Motz W., Vogt M., Strauer B.E.: Heart failure on the basis of hypertension. *Circulation* 1993; 87: (suppi IV): IV-66-IV-72.
126. Shu W. C. V., Gardm J.M., Knoll M.L., Weber M.A.: Assessment of left ventricular systolic and diastolic function with doppler echocardiography in hypertensive patients receiving intravenous medroxalol. *Am Heart J* 1990; 120, 87.
127. Silhol F., Bouchlaghem K., Maximovitch A., Vaisse B., Poggi L.: Le risque cardiovasculaire absolu: un concept juste mais inacheve. *Ann Cardiol Angéiol* 1998: 47(2): 91-93.
128. Smith V.E., White W.B., Meeran M.K. et al.: Improved left ventricular filling accompagnies reduced left ventricular mass during therapy of essential hypertension. *J Am Coll Cardiol* 1986; 8: 1449-1454.
129. Sohn D.W., Chai I.H., Lee D.J., Kirn H.C. et al.: Assessment of mitral annulus velocity by dopier tissue imaging in the evaluation of left ventricular diastolic function. *J Am Coll Cardiol* 1997; 30: 474-480.

130. Spirito P., Maron B.J.: Influence of aging on doppler echocardiographic indices of left ventricular diastolic function. *Br Heart J* 1988; 59: 672-679.
131. Stoddard M.F., Pearson A.C, Kern M.J., Ratcliff J., Mrosek D.G., Labovitz A.J.: Influence of alteration in preload on the pattern of left ventricular diastolic filling as assessed by Doppler echocardiography in humans. *Circulation* 1989; 79: 1226-1236.
132. Stoddard M.F., Pearson A.C, Kern M.J., Ratcliff J., Mrosek D.G., Labovitz A.J.: Left ventricular diastolic function: comparison of pulsed doppler echocardiographic and hemodynamic indexes in subjects with and without coronary artery disease. *J Am Coll Cardiol* 1989; 13: 327-336.
133. Stugaard M., Smiseth O.A., Risoe C., Ihlen H.: Intraventricular early diastolic filling during acute myocardial ischemia. Assessment by multigated color M-mode doppler echocardiography. *Circulation* 1993; 88: 2705-2713.
134. Suzuki T., Sato K., Aoki K.: Influence of postural change on transmitral flow velocity profile by pulsed Doppler echocardiography in normal individuals and in patients with myocardial infarction. *Am Heart J* 1990; 120: 110.
135. Swine C.J., Shapiro E.P., Lima S.D., Fleg J.L.: Age-associated changes in left ventricular diastolic performance during isometric exercise in normal subject. *Am J Cardiol* 1992; 69: 823-826 (brief report).
136. Szlachcic J., Tubau J.F., Volimer C., Massie B.M.: Effect of diltiazem on left ventricular mass and diastolic filling in mild to moderate hypertension. *Am J Cardiol* 1989, 63, 198-201.
137. Takagi S., Yokota M., Iwase M., Yoshida J., Hayashi H., Sotobata I., Koide M., Saito H.: The important role of left ventricular relaxation and left atrial pressure in the left ventricular filling velocity profile. *Am Heart J* 1989; 118: 954.
138. Temporelli P.L., Imparato A., Bosimmi E. et al.: Resersible restrictive left ventricular diastolic filling with optimized oral therapy predicts a more favorable prognosis in patients with chronic heart failure. *J Am Coll Cardiol* 1998; 31: 1591-1597.

139. Travaux des symposiums sur les consensus canadien - 1994: La dysfonction diastolique: perspectives cliniques.
140. Triposkiadis F., Tentolouris K., Androulakis A. et al.: Left atrial mechanical function in the healthy elderly: new insight from a combined assessment of changes in atrial volume and transmitral flow velocity. *J Am Soc Echocardiogr* 1995; 8: 801-809.
141. Vandenberg B.F., Kieso R.A., Eastham K.F., Kerber R.E.: Effect of age on diastolic left ventricular filling at rest and during isotropic stimulation and acute systemic hypertension : Experimental studies in conscious beagles. *Am Heart J* 1990;120:73.
142. Vatner S.F., Shannon R., Hittinger L.: Reduced subendocardial coronary reserve - a potential mechanism for impaired diastolic function in the hyper-trophied and failing heart. *Circulation* 1990; 81 (suppl III): III-8 - III-14.
143. Vernier I., Amar J., Ruivadets J.B. et al.: Le risque cardiovasculaire absolu influence-t-il la pris en charge de l'hypertension arterielle. *Arch Mal Cœur* 1998; 9: 1055-57.
144. Villari B., Vassalli G., Schneider J., Chiariello M., Hess O.M.: Age dependency of left ventricular diastolic function in pressure overload hypertrophy. *J Am Coll Cardiol* 1997; 29: 181-186.
145. Wemer G.S., Schaefer C., Dirks R. et al.: Prognostic value of doppler echo-cardiographic assessment of left ventricular filling in idiopathic dilated cardio-myopathy. *Am J Coll Cardiol* 1994; 73: 792-798.
146. Wemer G.S., Sold G., Teichmann D., Andreas S., Kreuzer H., Wiegand V.: Impaired relationship between Doppler echocardiographic parameters of diastolic function and left ventricular filling pressure during acute ischemia. *Am Heart J* 1990; 120:63.
147. White W.B., Schulman P., Karimeddini M.K., V.E.Smith: Regression of left ventricular mass is accompanied by improvement in rapid left ventricular filling following antihypertensive therapy with metoprolol. *Am Heart J* 1989; 117: 145.

148. Wisenbaugh T., Harlamert E., Maria A.N.: Relation of left ventricular filling dynamics to alterations in load and compliance in patients with and without pressure overload hypertrophy. *Circulation* 1990; 81: 101-106.
149. Xie X., Gidding S.S., Gardin J.M., Bild D.E. et al.: Left ventricular diastolic function in young adults: the coronary artery risk development in young adults study. *J Am Soc Echocardiogr* 1993; 8: 771-779.
150. Yamamoto K., Nishamura R.A., Chaliki H.P., Appleton C.P. et al.: Determination of left ventricular filling pressure by doppler echocardiography in patients with coronary artery disease: critical role of left ventricular systolic function. *J Am Coll Cardiol* 1997; 30: 1819-1826.
151. Ype G.W.K. Ho P.P.Y, Woo K.S., Sanderson J.E.: Comparison of left frequencies of left ventricular systolic and diastolic heart failure in Chinese living in Hong Kong. *Am J Cardiol* 1999; 84: 563-567.